



Controls More than 200 Weeds!

Lilly Miller®

Ready-To-Use

# LAWN WEED KILLER

KILLS LAWN WEEDS WITHOUT HARMING LAWN GRASSES



DANDELION



CLOVER



CHICKWEED

**Kills Dandelions, Clover, Plantain**

**Also Kills Hard to Control Weeds such as Spurge, Oxalis, and Japanese Clover**

**Begins Working Overnight**

Keep out of reach of children

**CAUTION**

See back panel for additional precautionary statements

**ACTIVE INGREDIENTS:**

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid .....	0.593%
Dimethylamine Salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid .....	0.143%
Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid) .....	0.066%
INERT INGREDIENTS .....	99.198%
Total .....	100.00%

**This product contains:**

0.04 lbs. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 0.492%
0.01 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 0.118%
0.005 lbs. 3,6-Dichloro-o-anisic acid equivalent per gallon or 0.05%

Isomer Specific by AOAC Methods.

**NET CONTENTS  
1 QUART (946 ml)**

09 60 6340 - 7/03

5-3/16"

3-3/4"



#### What will I see?

Within 10 days you will see the leaves begin to curl and twist. Weeds will gradually die, taking several weeks to completely disappear.

#### STORAGE AND DISPOSAL

Store this product in its original container and keep out of reach of children and domestic animals. *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.



**Ready-To-Use**

# LAWN WEED KILLER

- ***Kills lawn weeds without harming lawn grasses***
- ***Kills over 200 types of lawn weeds***
- ***Kills dandelions, clover, plantain***
- ***Also kills hard to control weeds such as spurge, oxalis, and Japanese clover***
- ***Begins working overnight***
- ***Contains TRIMEC® Herbicide***

TRIMEC is a registered trademark of PBI/Gordon Corporation.

#### Lilly Miller Brands

P.O. BOX 2289  
Clackamas, OR 97015

[www.lillymiller.com](http://www.lillymiller.com)

EPA Reg. No. 802-580  
EPA Est. 33518-CN-1

Printed in U.S.A.  
Product of Canada

09606340 - 07/03



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake well before using. For household use only.

### What is this product? And what will it do?

Ready-To-Use LAWN WEED KILLER is the convenient way to kill even the worst lawn weeds - roots and all - without harming the grass. In California and the Southwest, do not use this product on Dichondra, St. Augustinegrass, bahia grass, centipedegrass, carpetgrass, bermudagrass, buffalograss or Zoysia lawns.

### Controls more than 200 weeds!

Annual yellow sweetclover	Buckhorn plantain	Cocklebur	Henbit
Aster	Bulbous buttercup	Common mullein	Hoary cress
Austrian fieldcress	Bull thistle	Creeping jenny	Hoary plantain
Bedstraw	Burclover	Cudweed	Hoary vervain
Beggarticks	Burdock	Curly dock	Horsenettle
Betony, Florida	Burning nettle	Daisy, English	Jimsonweed
Bindweed, field	Burweed	Daisy fleabane	Knawel
Bird vetch	Buttercup	Daisy, oxeye	Knotweed
Bitter wintercress	Buttonweed	Dandelion	Kochia
Bittercress, hairy	Canada thistle	Dichondra	Lambsquarters
Bitterweed	Carolina geranium	Dogbane	Lespedeza
Black-eyed Susan	Catchweed	Dogfennel	Mallow
Black medic	bedstraw	Dollarweed	Matchweed
Black mustard	Catnip	Elderberry	Mexicanweed
Blackseed plantain	Catsear	False dandelion	Milk vetch
Blessed thistle	Chickweed, common	False flax	Morningglory
Bloodflower milkweed	Chickweed, mouseear	False sunflower	Mouseear
Blue lettuce	Chicory	Fiddleneck	hawkweed
Blue vervain	Cinquefoil	Florida pusley	Mugwort
Bracted plantain	Clover, crimson	Frenchweed	Musk thistle
Brassbuttons	Clover, hop	Galinsoga	Mustard
Bristly oxtingue	Clover, red	Goathead	Narrowleaf plantain
Broadleaf dock	Clover, strawberry	Goldenrod	Narrowleaf vetch
Broadleaf plantain	Clover, sweet	Ground ivy	Nettle
Broomweed	Clover, white	Gumweed	Orange
Buckhorn	Cockle	Hairy fleabane	hawkweed
		Hawkweed	Heartleaf
		Healall	Oxalis
		Heartleaf drymary	cocklebur
		Heathaster	Parsley-piert
		Hedge bindweed	Parsnip
		Hedge mustard	Pearlwort
		Hemp	

Pennycress	Redroot pigweed	Strawberry, India mock	Wild four-o'clock
Pennywort	Redstem filaree	Tall nettle	Wild garlic
Peppergrass	Rough cinquefoil	Tall vervain	Wild geranium
Pepperweed	Rough fleabane	Tansy ragwort	Wild lettuce
Pigweed	Russian pigweed	Tansy mustard	Wild marigold
Pineywoods bedstraw	Russian thistle	Tanweed	Wild mustard
Plains coreopsis (tickseed)	Scarlet pimpernel	Thistle	Wild onion
Plantain	Scotch thistle	Trailing crownvetch	Wild parsnip
Poison ivy	Sheep sorrel	Tumble mustard	Wild radish
Poison oak	Shepherdspurse	Tumble pigweed	Wild rape
Pokeweed	Slender plantain	Velvetleaf	Wild strawberry
Poorjoe	Smallflower sunflower	Venice mallow	Wild sweet potato
Prairie prickly lettuce	Smooth dock	Virginia	Wild vetch
Prickly sida	Smooth pigweed	Virginia creeper	Woodsorrel
Prostrate knotweed	Sorrel	Virginia	Woolly croton
Prostrate pigweed	Sowthistle	Water pennywort	Woolly morningglory
Prostrate spurge	Spiny amaranth	Wavyleaf bullthistle	Woolly plantain
Prostrate vervain	Spiny cocklebur	Western clematis	Yellow rocket
Puncturevine	Spiny sowthistle	Western salsify	Yellowflower pepperweed
Purslane, common	Spotted catsear	White mustard	And other broadleaf weeds
Ragweed	Spurweed	Wild aster	
Red sorrel	Stinging nettle	Wild buckwheat	
		Wild carrot	

### How do I use this product?

**When to use:** Spray any time weeds are actively growing; spring and fall are the best. Do not spray when rain is expected within 24 hours.

**What to do:** This product is ready to use and doesn't have to be mixed with water. Shake well before using. Adjust sprayer nozzle to give a coarse spray. Spray individual weeds. Wet solid patches of weeds well. Wait for 24 hours after spraying to water the lawn. Continue to water and feed the lawn, to help fill in places where weeds have died. After 4 weeks, you may re-seed any remaining bare areas.

**What not to do:** Do not use on newly planted lawns until 6 weeks after seed has come up. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not water the lawn for 24 hours after spraying. Do not spray Ready-To-Use LAWN WEED KILLER in areas where shrub or tree roots may be located.



PEEL BACK BOOK HERE AND RESEAL AFTER OPENING

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear goggles, long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. Avoid contamination of food or feedstuffs. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not reenter or permit others to reenter treated areas until sprays have dried.

**FIRST AID**

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**If on skin or on clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

TRIMEC is a registered trademark of PBI/Gordon Corporation.

**Lilly Miller Brands**  
P.O. BOX 2289  
Clackamas, OR 97015

EPA Reg. No. 802-580  
EPA Est. 33518-CN-1  
09606340 - 07/03

Printed in U.S.A.  
Product of Canada  
[www.lillymiller.com](http://www.lillymiller.com)

